

Our Dura-Tech modular cabinets and work stations are of the heaviest constructed metal casework cabinets available on the market. Dura-Tech base cabinets feature all welded case and frame construction. The outer shell is constructed from 16 gauge furniture grade steel utilizing all welded construction. The bases are equipped standard with a 4" h recessed riser base including floor leveler glides. Drawers feature full extension glides rated for a minimum 125 lb capacity and up to 400 lb capacities on some models. The drawer and door facings are full inner and outer headers securely welded together. All drawer components are formed from 18 gauge furniture grade steel and have easy access recessed aluminum handles. Individual cylinder locks are keyed alike (standard). Available with keyed different, master keyed locks. All door bases feature an interior adjustable shelf and self closing concealed door hinges.


### Cabinet Features:

- Cabinet shells are one piece side, back, and face frame.
- Solid top and bottom panels.
- Interior security lip around face frame helps prevent tampering with locks.
- All welded construction. No rivets or spot welded joints.
- 4" h 16ga. recessed toe kick is standard.
- Drawer and door component rails run full height of cabinet.
- Floor levelers recessed into riser base.



### Standard Cabinet Dimensions


#### Available Heights



Desk 28" h    Lab 34" h




#### Available Depths



18" d    21" d    24" d    28" d

#### Available Widths


Desk and Lab Single Wide



16" w    18" w    24" w    30" w


#### Available Widths

Desk and Lab Double Wide



32" w    36" w    42" w    48" w

## Dura-Tech Standard Drawer Detail



Drawer Box Dimension Chart						
	Cab Width	Face Width (B)	Box Width (C)	Box Height (D)	Face Height (E)	Drawer Depth (F)
Series 50	16"	13.75	12.25	DT=1.75 or DTL=2.40	DT=3.52 or DTL=4.52	Subtract 4" from cabinet depth.
	18"	15.75	14.25			
	24"	21.75	20.25			
	30"	27.75	26.25			
	32"	29.75	28.25			
	36"	33.75	32.25			
	42"	39.75	38.25			
48"	45.75	44.25				
Series 75	16"	13.75	12.25	DT=3.50 or DTL=5.00	DT=5.34 or DTL=6.84	Subtract 4" from cabinet depth.
	18"	15.75	14.25			
	24"	21.75	20.25			
	30"	27.75	26.25			
	32"	29.75	28.25			
	36"	33.75	32.25			
	42"	39.75	38.25			
48"	45.75	44.25				
Series 100	16"	13.75	12.25	DT=5.00 or DTL=7.00	DT=7.16 or DTL=9.16	Subtract 4" from cabinet depth.
	18"	15.75	14.25			
	24"	21.75	20.25			
	30"	27.75	26.25			
	32"	29.75	28.25			
	36"	33.75	32.25			
	42"	39.75	38.25			
48"	45.75	44.25				
Series 150	16"	13.75	12.25	DT=9.375 or DTL=11.75	DT=10.81 or DTL=13.81	Subtract 4" from cabinet depth.
	18"	15.75	14.25			
	24"	21.75	20.25			
	30"	27.75	26.25			
	32"	29.75	28.25			
	36"	33.75	32.25			
	42"	39.75	38.25			
48"	45.75	44.25				

### Drawer/Door Component Features:

- Drawer boxes and doors are constructed of 18 gauge steel.
- Aluminum recessed door and drawer pulls are standard.
- Drawers feature inner and outer face panels.
- Chrome cylinder lock keyed alike. Optional keyed different and master keyed.
- Doors feature recessed/concealed hinges.
- Double door configurations have 3 point lock.
- Drawers mounted on minimum 125 lb. up to 400 lb. full extension bearing glides.


## Dura-Tech Standard Door Detail



Door Dimension Chart			
	Cab Width	Door Width (B)	Door Height (C)
Series 200	16"	13.75	DT=14.50 or DTL=18.50
	18"	15.75	
	24"	21.75	
	30"	27.75	
	32"	Double Doors @14.875 Double Doors @16.875 Double Doors @19.875 Double Doors @22.875	
	36"		
	42"		
48"			
Series 225	16"	13.75	DT=16.25 or DTL=20.75
	18"	15.75	
	24"	21.75	
	30"	27.75	
	32"	Double Doors @14.875 Double Doors @16.875 Double Doors @19.875 Double Doors @22.875	
	36"		
	42"		
48"			
Series 250	16"	13.75	DT=18.0 or DTL=23.00
	18"	15.75	
	24"	21.75	
	30"	27.75	
	32"	Double Doors @14.875 Double Doors @16.875 Double Doors @19.875 Double Doors @22.875	
	36"		
	42"		
48"			
Series 300	16"	13.75	DT=21.75 or DTL=27.75
	18"	15.75	
	24"	21.75	
	30"	27.75	
	32"	Double Doors @14.875 Double Doors @16.875 Double Doors @19.875 Double Doors @22.875	
	36"		
	42"		
48"			




	Depth	Height	6000	0400	0030	0002	1210
16" Wide	18"	DT (28" h) or DTL (34" h)	1618-6000	1618-0400	1618-0030	1618-0002	1618-1210
	21"		1621-6000	1621-0400	1621-0030	1621-0002	1621-1210
	24"		1624-6000	1624-0400	1624-0030	1624-0002	1624-1210
	28"		1628-6000	1628-0400	1628-0030	1628-0002	1628-1210
18" Wide	18"		1818-6000	1818-0400	1818-0030	1818-0002	1818-1210
	21"		1821-6000	1821-0400	1821-0030	1821-0002	1821-1210
	24"		1824-6000	1824-0400	1824-0030	1824-0002	1824-1210
	28"		1828-6000	1828-0400	1828-0030	1828-0002	1828-1210
24" Wide	18"		2418-6000	2418-0400	2418-0030	2418-0002	2418-1210
	21"		2421-6000	2421-0400	2421-0030	2421-0002	2421-1210
	24"		2424-6000	2424-0400	2424-0030	2424-0002	2424-1210
	28"		2428-6000	2428-0400	2428-0030	2428-0002	2428-1210
30" Wide	18"		3018-6000	3018-0400	3018-0030	3018-0002	3018-1210
	21"		3021-6000	3021-0400	3021-0030	3021-0002	3021-1210
	24"		3024-6000	3024-0400	3024-0030	3024-0002	3024-1210
	28"		3028-6000	3028-0400	3028-0030	3028-0002	3028-1210



	Depth	Height	3200	3001	0100	0000 Single Shelf	2000
16" Wide	18"	DT (28" h) or DTL (34" h)	1618-3200	1618-3001	1618-0100	1618-0000	1618-2000
	21"		1621-3200	1621-3001	1621-0100	1621-0000	1621-2000
	24"		1624-3200	1624-3001	1624-0100	1624-0000	1624-2000
	28"		1628-3200	1628-3001	1628-0100	1628-0000	1628-2000
18" Wide	18"		1818-3200	1818-3001	1818-0100	1818-0000	1818-2000
	21"		1821-3200	1821-3001	1821-0100	1821-0000	1821-2000
	24"		1824-3200	1824-3001	1824-0100	1824-0000	1824-2000
	28"		1828-3200	1828-3001	1828-0100	1828-0000	1828-2000
24" Wide	18"		2418-3200	2418-3001	2418-0100	2418-0000	2418-2000
	21"		2421-3200	2421-3001	2421-0100	2421-0000	2421-2000
	24"		2424-3200	2424-3001	2424-0100	2424-0000	2424-2000
	28"		2428-3200	2428-3001	2428-0100	2428-0000	2428-2000
30" Wide	18"		3018-3200	3018-3001	3018-0100	3018-0000	3018-2000
	21"		3021-3200	3021-3001	3021-0100	3021-0000	3021-2000
	24"		3024-3200	3024-3001	3024-0100	3024-0000	3024-2000
	28"		3028-3200	3028-3001	3028-0100	3028-0000	3028-2000




	Depth	Height	0201	2020	4010	6000-W	0400-W
16" Wide	18"	DT (28"h) or DTL (34"h)	1618-0201	1618-2020	1618-4010	1618-6000-W	1618-0400-W
	21"		1621-0201	1621-2020	1621-4010	1621-6000-W	1621-0400-W
	24"		1624-0201	1624-2020	1624-4010	1624-6000-W	1624-0400-W
	28"		1628-0201	1628-2020	1628-4010	1628-6000-W	1628-0400-W
18" Wide	18"		1818-0201	1818-2020	1818-4010	1818-6000-W	1818-0400-W
	21"		1821-0201	1821-2020	1821-4010	1821-6000-W	1821-0400-W
	24"		1824-0201	1824-2020	1824-4010	1824-6000-W	1824-0400-W
	28"		1828-0201	1828-2020	1828-4010	1828-6000-W	1828-0400-W
24" Wide	18"		2418-0201	2418-2020	2418-4010	2418-6000-W	2418-0400-W
	21"		2421-0201	2421-2020	2421-4010	2421-6000-W	2421-0400-W
	24"		2424-0201	2424-2020	2424-4010	2424-6000-W	2424-0400-W
	28"		2428-0201	2428-2020	2428-4010	2428-6000-W	2428-0400-W
30" Wide	18"		3018-0201	3018-2020	3018-4010	3018-6000-W	3018-0400-W
	21"		3021-0201	3021-2020	3021-4010	3021-6000-W	3021-0400-W
	24"		3024-0201	3024-2020	3024-4010	3024-6000-W	3024-0400-W
	28"		3028-0201	3028-2020	3028-4010	3028-6000-W	3028-0400-W



	Depth	Height	4010-W	0201-W	0100-W Single Shelf	1210-W	1000-W Single Shelf
16" Wide	18"	DT (28"h) or DTL (34"h)	1618-4010-W	1618-0201-W	1618-0100-W	1618-1210-W	1618-1000-W
	21"		1621-4010-W	1621-0201-W	1621-0100-W	1621-1210-W	1621-1000-W
	24"		1624-4010-W	1624-0201-W	1624-0100-W	1624-1210-W	1624-1000-W
	28"		1628-4010-W	1628-0201-W	1628-0100-W	1628-1210-W	1628-1000-W
18" Wide	18"		1818-4010-W	1818-0201-W	1818-0100-W	1818-1210-W	1818-1000-W
	21"		1821-4010-W	1821-0201-W	1821-0100-W	1821-1210-W	1821-1000-W
	24"		1824-4010-W	1824-0201-W	1824-0100-W	1824-1210-W	1824-1000-W
	28"		1828-4010-W	1828-0201-W	1828-0100-W	1828-1210-W	1828-1000-W
24" Wide	18"		2418-4010-W	2418-0201-W	2418-0100-W	2418-1210-W	2418-1000-W
	21"		2421-4010-W	2421-0201-W	2421-0100-W	2421-1210-W	2421-1000-W
	24"		2424-4010-W	2424-0201-W	2424-0100-W	2424-1210-W	2424-1000-W
	28"		2428-4010-W	2428-0201-W	2428-0100-W	2428-1210-W	2428-1000-W
30" Wide	18"		3018-4010-W	3018-0201-W	3018-0100-W	3018-1210-W	3018-1000-W
	21"		3021-4010-W	3021-0201-W	3021-0100-W	3021-1210-W	3021-1000-W
	24"		3024-4010-W	3024-0201-W	3024-0100-W	3024-1210-W	3024-1000-W
	28"		3028-4010-W	3028-0201-W	3028-0100-W	3028-1210-W	3028-1000-W




		Depth	Height	6000	0400	0030	0002
32" Wide	18"	DT (28" h) or DTL (34" h)	18"	3218-6000	3218-0400	3218-0030	3218-0002
	21"			3221-6000	3221-0400	3221-0030	3221-0002
	24"			3224-6000	3224-0400	3224-0030	3224-0002
	28"			3228-6000	3228-0400	3228-0030	3228-0002
36" Wide	18"		21"	3618-6000	3618-0400	3618-0030	3618-0002
	21"			3621-6000	3621-0400	3621-0030	3621-0002
	24"			3624-6000	3624-0400	3624-0030	3624-0002
	28"			3628-6000	3628-0400	3628-0030	3628-0002
42" Wide	18"		24"	4218-6000	4218-0400	4218-0030	4218-0002
	21"			4221-6000	4221-0400	4221-0030	4221-0002
	24"			4224-6000	4224-0400	4224-0030	4224-0002
	28"			4228-6000	4228-0400	4228-0030	4228-0002
48" Wide	18"		28"	4818-6000	4818-0400	4818-0030	4818-0002
	21"			4821-6000	4821-0400	4821-0030	4821-0002
	24"			4824-6000	4824-0400	4824-0030	4824-0002
	28"			4828-6000	4828-0400	4828-0030	4828-0002



		Depth	Height	0000 Single Shelf	0201	3200	3001
32" Wide	18"	DT (28" h) or DTL (34" h)	18"	3218-0000	3218-0201	3218-3200	3218-3001
	21"			3221-0000	3221-0201	3221-3200	3221-3001
	24"			3224-0000	3224-0201	3224-3200	3224-3001
	28"			3228-0000	3228-0201	3228-3200	3228-3001
36" Wide	18"		21"	3618-0000	3618-0201	3618-3200	3618-3001
	21"			3621-0000	3621-0201	3621-3200	3621-3001
	24"			3624-0000	3624-0201	3624-3200	3624-3001
	28"			3628-0000	3628-0201	3628-3200	3628-3001
42" Wide	18"		24"	4218-0000	4218-0201	4218-3200	4218-3001
	21"			4221-0000	4221-0201	4221-3200	4221-3001
	24"			4224-0000	4224-0201	4224-3200	4224-3001
	28"			4228-0000	4228-0201	4228-3200	4228-3001
48" Wide	18"		28"	4818-0000	4818-0201	4818-3200	4818-3001
	21"			4821-0000	4821-0201	4821-3200	4821-3001
	24"			4824-0000	4824-0201	4824-3200	4824-3001
	28"			4828-0000	4828-0201	4828-3200	4828-3001



	Depth	Height	2000 Single Shelf	4010	1210	6000-W
32" Wide	18"	DT (28" h) or DTL (34" h)	3218-2000	3218-4010	3218-1210	3218-6000-W
	21"		3221-2000	3221-4010	3221-1210	3221-6000-W
	24"		3224-2000	3224-4010	3224-1210	3224-6000-W
	28"		3228-2000	3228-4010	3228-1210	3228-6000-W
36" Wide	18"		3618-2000	3618-4010	3618-1210	3618-6000-W
	21"		3621-2000	3621-4010	3621-1210	3621-6000-W
	24"		3624-2000	3624-4010	3624-1210	3624-6000-W
	28"		3628-2000	3628-4010	3628-1210	3628-6000-W
42" Wide	18"		4218-2000	4218-4010	4218-1210	4218-6000-W
	21"		4221-2000	4221-4010	4221-1210	4221-6000-W
	24"		4224-2000	4224-4010	4224-1210	4224-6000-W
	28"		4228-2000	4228-4010	4228-1210	4228-6000-W
48" Wide	18"		4818-2000	4818-4010	4818-1210	4818-6000-W
	21"		4821-2000	4821-4010	4821-1210	4821-6000-W
	24"		4824-2000	4824-4010	4824-1210	4824-6000-W
	28"		4828-2000	4828-4010	4828-1210	4828-6000-W



	Depth	Height	0100-W Single Shelf	0201-W	3001-W	0400-W
32" Wide	18"	DT (28" h) or DTL (34" h)	3218-0100-W	3218-0201-W	3218-3001-W	3218-0400-W
	21"		3221-0100-W	3221-0201-W	3221-3001-W	3221-0400-W
	24"		3224-0100-W	3224-0201-W	3224-3001-W	3224-0400-W
	28"		3228-0100-W	3228-0201-W	3228-3001-W	3228-0400-W
36" Wide	18"		3618-0100-W	3618-0201-W	3618-3001-W	3618-0400-W
	21"		3621-0100-W	3621-0201-W	3621-3001-W	3621-0400-W
	24"		3624-0100-W	3624-0201-W	3624-3001-W	3624-0400-W
	28"		3628-0100-W	3628-0201-W	3628-3001-W	3628-0400-W
42" Wide	18"		4218-0100-W	4218-0201-W	4218-3001-W	4218-0400-W
	21"		4221-0100-W	4221-0201-W	4221-3001-W	4221-0400-W
	24"		4224-0100-W	4224-0201-W	4224-3001-W	4224-0400-W
	28"		4228-0100-W	4228-0201-W	4228-3001-W	4228-0400-W
48" Wide	18"		4818-0100-W	4818-0201-W	4818-3001-W	4818-0400-W
	21"		4821-0100-W	4821-0201-W	4821-3001-W	4821-0400-W
	24"		4824-0100-W	4824-0201-W	4824-3001-W	4824-0400-W
	28"		4828-0100-W	4828-0201-W	4828-3001-W	4828-0400-W




### Tall Storage Cabinet Features:

- Drawer cabinets ship with independent locking drawers.
- Optional drawer interlock available. Call factory.
- Single padlock security bar available on drawer cabinet configurations. Call factory.
- Drawers mounted on minimum 125 lb. to 400 lb. full extension bearing glides.
- Drawers available with optional divider kits. See page 10.
- Some models require floor anchoring.




Width	Depth	0010	0020	0300	4000
24"	24"	WDT - 2424-0010-72__	WDT - 2424-0020-72__	WDT - 2424-0300-72__	WDT - 2424-4000-72__
	28"	WDT - 2428-0010-72__	WDT - 2428-0020-72__	WDT - 2428-0300-72__	WDT - 2428-4000-72__
32"	24"	WDT - 3224-0010-72__	WDT - 3224-0020-72__	WDT - 3224-0300-72__	WDT - 3224-4000-72__
	28"	WDT - 3228-0010-72__	WDT - 3228-0020-72__	WDT - 3228-0300-72__	WDT - 3228-4000-72__
36"	24"	WDT - 3624-0010-72__	WDT - 3624-0020-72__	WDT - 3624-0300-72__	WDT - 3624-4000-72__
	28"	WDT - 3628-0010-72__	WDT - 3628-0020-72__	WDT - 3628-0300-72__	WDT - 3628-4000-72__

Cabinet Height 72"




### Two Interior Configurations to Choose From:

- Interior "A" or "B" is available for all sizes of the WDT-Series cabinets.
- Interior "A" = (3) Full width interior shelves.
- Interior "B" = Divided interior with (3) 1/2 width shelves and hanger bar.




Interior "A"




Interior "B"




Drawer divider kits will assist in keeping your small parts organized and readily available. We offer four configurations to choose from. Dividers are removable and can be re-configured to accommodate your particular requirements. Slotted front to rear partitions adjust on 3/4" centers and run the full depth of the drawer. Bin dividers feature an angled top for label placement. Standard color finish is Structural Gray.




Configuration A  
24 - Openings



Configuration B  
24 - Openings



Configuration C  
36 - Openings



Configuration D  
48 - Openings



Divider Kit Detail



Configuration B Shown

## DTT/DTLT Tall Cabinet Drawer Divider Kits

- For 32" w Thru 48" w Drawers
- 24" d and 28" d Depths
- Order One Kit per Drawer
- Dividers Are Removable
- Special Configurations Available
- Structural Gray Finish

	Drawer Height Code	Divider Set	24" Deep	28" Deep
32" w	50	A	DKT32-243A	DKT32-283A
	50	B	DKT32-243B	DKT32-283B
	50	C	DKT32-243C	DKT32-283C
	50	D	DKT32-243D	DKT32-283D
	75	A	DKT32-244A	DKT32-284A
	75	B	DKT32-244B	DKT32-284B
	75	C	DKT32-244C	DKT32-284C
	75	D	DKT32-244D	DKT32-284D
	100 and Up	A	DKT32-246A	DKT32-286A
	100 and Up	B	DKT32-246B	DKT32-286B
	100 and Up	C	DKT32-246C	DKT32-286C
	100 and Up	D	DKT32-246D	DKT32-286D
36" w	50	A	DKT36-243A	DKT36-283A
	50	B	DKT36-243B	DKT36-283B
	50	C	DKT36-243C	DKT36-283C
	50	D	DKT36-243D	DKT36-283D
	75	A	DKT36-244A	DKT36-284A
	75	B	DKT36-244B	DKT36-284B
	75	C	DKT36-244C	DKT36-284C
	75	D	DKT36-244D	DKT36-284D
	100 and Up	A	DKT36-246A	DKT36-286A
	100 and Up	B	DKT36-246B	DKT36-286B
	100 and Up	C	DKT36-246C	DKT36-286C
	100 and Up	D	DKT36-246D	DKT36-286D
42" w	50	A	DKT42-243A	DKT42-283A
	50	B	DKT42-243B	DKT42-283B
	50	C	DKT42-243C	DKT42-283C
	50	D	DKT42-243D	DKT42-283D
	75	A	DKT42-244A	DKT42-284A
	75	B	DKT42-244B	DKT42-284B
	75	C	DKT42-244C	DKT42-284C
	75	D	DKT42-244D	DKT42-284D
	100 and Up	A	DKT42-246A	DKT42-286A
	100 and Up	B	DKT42-246B	DKT42-286B
	100 and Up	C	DKT42-246C	DKT42-286C
	100 and Up	D	DKT42-246D	DKT42-286D
48" w	50	A	DKT48-243A	DKT48-283A
	50	B	DKT48-243B	DKT48-283B
	50	C	DKT48-243C	DKT48-283C
	50	D	DKT48-243D	DKT48-283D
	75	A	DKT48-244A	DKT48-284A
	75	B	DKT48-244B	DKT48-284B
	75	C	DKT48-244C	DKT48-284C
	75	D	DKT48-244D	DKT48-284D
	100 and Up	A	DKT48-246A	DKT48-286A
	100 and Up	B	DKT48-246B	DKT48-286B
	100 and Up	C	DKT48-246C	DKT48-286C
	100 and Up	D	DKT48-246D	DKT48-286D



## Leg Pedestals



**Leg Pedestal:** 3-1/2" wide with 1" flange for mounting to work surface - Recessed 4"h kick riser with heavy-duty floor levelers - No electrical outlets - Available in both desk (28"h) and lab (34"h) heights.



**Leg Pedestal with AC:** 3-1/2" wide with 1" flange for mounting to work surface - Recessed kick riser with heavy-duty floor levelers - Includes (4) 15 amp - 120V grounded outlets, lighted on/off rocker switch, and 9' power supply cord with standard three prong plug - UL approved components - Available in both desk (28"h) and lab (34"h) heights.



**Center Leg Pedestal:** For use with corner configurations - 8" x 8" with 1" flange for mounting to work surface - Recessed kick riser with heavy-duty floor levelers - No electrical outlets - Available in both desk (28"h) and lab (34"h) heights.

Sample Part Number: DT-418

Depth	Height	Leg Ped No AC	Leg Ped w/AC	Center Pedestal
18"	DT (28"h) or DTL (34"h)	-- 418	-- 418AC	-- 88
21"		-- 421	-- 421AC	
24"		-- 424	-- 424AC	
28"		-- 428	-- 428AC	

## Individual Bench Legs



### Fixed Height Formed Channel Leg

Formed 14 gauge steel channel leg - Floor anchor pad - All welded assembly - Available in 28" or 34" heights.

Sample Part Number: DT-B18

Depth	Height	Model #
18"	DT (28"h) or DTL (34"h)	--B18
21"		--B21
24"		--B24
28"		--B28



### Fixed Height "H" Series Leg

Constructed of 3" diameter 16 gauge round tube with 3/4" diameter cross supports - Floor levelers - All welded assembly - Available in 28" or 34" heights.

Sample Part Number: DT-H18

Depth	Height	Model #
18"	DT (28"h) or DTL (34"h)	--H18
21"		--H21
24"		--H24
28"		--H28



### Fixed Height BTHD Series Leg

Constructed of 3" Square 16 gauge tube vertical upright supports - Floor levelers. All welded assembly - Available in 28" or 34" heights.

Sample Part Number: DT-BTHD18

Depth	Height	Model #
18"	DT (28"h) or DTL (34"h)	--BTHD18
21"		--BTHD21
24"		--BTHD24
28"		--BTHD28

Our versatile Dura-Tech wall cabinets are ideal for storing tools and supplies. Available in a number of sizes and configurations, these cabinets are built to withstand use in the toughest environments. Our cabinets feature all welded construction from 16 and 18 gauge steel and a full face frame with welded seams. GMI incorporates top quality hardware components into all of our Dura-Tech cabinet products to ensure years of trouble free service.

### Standard Features:

- Concealed 105 Degree Door Hinges.
- Recessed Aluminum Handles.
- Three Point Cylinder Lock Keyed Alike.
- 16 Gauge Steel Adjustable Interior Shelves.
- All Welded Construction.



Dura-Tech Series



DTW-1236-3000 Wall Cabinet



Full Width Adjustable Shelves

Recessed hinges are standard. Optional five knuckle institutional grade hinges available. Contact factory for details.



Secure multi point lock mechanism. Cylinder lock keyed alike is standard.



Sturdy all welded steel construction. All face seams are welded and ground smooth.



## In Line Wall Cabinets

		Width	18" Tall	Shelves	24" Tall	Shelves	30" Tall	Shelves
Single Door	12" Deep	12"	DTW - 1212 - 1800	2	DTW - 1212 - 2400	3	DTW - 1212 - 3000	3
		15"	DTW - 1215 - 1800	2	DTW - 1215 - 2400	3	DTW - 1215 - 3000	3
		18"	DTW - 1218 - 1800	2	DTW - 1218 - 2400	3	DTW - 1218 - 3000	3
		21"	DTW - 1221 - 1800	2	DTW - 1221 - 2400	3	DTW - 1221 - 3000	3
Double Door	12" Deep	24"	DTW - 1224 - 1800	2	DTW - 1224 - 2400	3	DTW - 1224 - 3000	3
		27"	DTW - 1227 - 1800	2	DTW - 1227 - 2400	3	DTW - 1227 - 3000	3
		30"	DTW - 1230 - 1800	2	DTW - 1230 - 2400	3	DTW - 1230 - 3000	3
		32"	DTW - 1232 - 1800	2	DTW - 1232 - 2400	3	DTW - 1232 - 3000	3
		36"	DTW - 1236 - 1800	2	DTW - 1236 - 2400	3	DTW - 1236 - 3000	3
Single Door	18" Deep	12"	DTW - 1812 - 1800	2	DTW - 1812 - 2400	3	DTW - 1812 - 3000	3
		15"	DTW - 1815 - 1800	2	DTW - 1815 - 2400	3	DTW - 1815 - 3000	3
		18"	DTW - 1818 - 1800	2	DTW - 1818 - 2400	3	DTW - 1818 - 3000	3
		21"	DTW - 1821 - 1800	2	DTW - 1821 - 2400	3	DTW - 1821 - 3000	3
Double Door	18" Deep	24"	DTW - 1824 - 1800	2	DTW - 1824 - 2400	3	DTW - 1824 - 3000	3
		27"	DTW - 1827 - 1800	2	DTW - 1827 - 2400	3	DTW - 1827 - 3000	3
		30"	DTW - 1830 - 1800	2	DTW - 1830 - 2400	3	DTW - 1830 - 3000	3
		32"	DTW - 1832 - 1800	2	DTW - 1832 - 2400	3	DTW - 1832 - 3000	3
		36"	DTW - 1836 - 1800	2	DTW - 1836 - 2400	3	DTW - 1836 - 3000	3

## Corner Wall Cabinets

		Width	18" Tall	Shelves	24" Tall	Shelves	30" Tall	Shelves
Single Door	12" Deep	24" Along Corner	DTWC - 1224 - 1800	2	DTWC - 1224 - 2400	3	DTWC - 1224 - 3000	3
Single Door	18" Deep	24" Along Corner	DTWC - 1824 - 1800	2	DTWC - 1824 - 2400	3	DTWC - 1824 - 3000	3

Wall mounted cabinets are available with (5) knuckle institutional hinges and optional loop door pulls. Please contact factory for details.

Typical corner installation using Dura-Tech base components, hardwood/maple tops, and standard front wall cabinets.





Clear View wall cabinets offer the same quality and construction as the standard Dura-Tech wall cabinets. The door fronts are fitted with a 3/16" thick polycarbonate clear panel to allow the cabinet contents to be easily viewed.

The standard cabinet configuration comes with (2) adjustable shelves and three point cylinder style lock keyed alike.

		Width	18" Tall	Shelves	24" Tall	Shelves	30" Tall	Shelves
Single Door	12" Deep	12"	DTW - 1212 - 1800CV	2	DTW - 1212 - 2400CV	3	DTW - 1212 - 3000CV	3
		15"	DTW - 1215 - 1800CV	2	DTW - 1215 - 2400CV	3	DTW - 1215 - 3000CV	3
		18"	DTW - 1218 - 1800CV	2	DTW - 1218 - 2400CV	3	DTW - 1218 - 3000CV	3
		21"	DTW - 1221 - 1800CV	2	DTW - 1221 - 2400CV	3	DTW - 1221 - 3000CV	3
Double Door	12" Deep	24"	DTW - 1224 - 1800CV	2	DTW - 1224 - 2400CV	3	DTW - 1224 - 3000CV	3
		27"	DTW - 1227 - 1800CV	2	DTW - 1227 - 2400CV	3	DTW - 1227 - 3000CV	3
		30"	DTW - 1230 - 1800CV	2	DTW - 1230 - 2400CV	3	DTW - 1230 - 3000CV	3
		33"	DTW - 1233 - 1800CV	2	DTW - 1233 - 2400CV	3	DTW - 1233 - 3000CV	3
		36"	DTW - 1236 - 1800CV	2	DTW - 1236 - 2400CV	3	DTW - 1236 - 3000CV	3
Single Door	18" Deep	12"	DTW - 1812 - 1800CV	2	DTW - 1812 - 2400CV	3	DTW - 1812 - 3000CV	3
		15"	DTW - 1815 - 1800CV	2	DTW - 1815 - 2400CV	3	DTW - 1815 - 3000CV	3
		18"	DTW - 1818 - 1800CV	2	DTW - 1818 - 2400CV	3	DTW - 1818 - 3000CV	3
		21"	DTW - 1821 - 1800CV	2	DTW - 1821 - 2400CV	3	DTW - 1821 - 3000CV	3
Double Door	18" Deep	24"	DTW - 1824 - 1800CV	2	DTW - 1824 - 2400CV	3	DTW - 1824 - 3000CV	3
		27"	DTW - 1827 - 1800CV	2	DTW - 1827 - 2400CV	3	DTW - 1827 - 3000CV	3
		30"	DTW - 1830 - 1800CV	2	DTW - 1830 - 2400CV	3	DTW - 1830 - 3000CV	3
		33"	DTW - 1833 - 1800CV	2	DTW - 1833 - 2400CV	3	DTW - 1833 - 3000CV	3
		36"	DTW - 1836 - 1800CV	2	DTW - 1836 - 2400CV	3	DTW - 1836 - 3000CV	3

## Tool Panel Option


The optional tool panels make storage, retrieval, and inventory of tools and supplies easier. Standard 1/4" fiber pegboard panels are fitted to support rails on the rear of the cabinet interior. Shelves may be used or removed as shown.

Order hook kits separately to configure the layout to fit your application. Tool panel hook kits sold separately.



Tools not Included.

Add (-PB) to above part numbers for tool panel option.



**Peg Board Tool Hook Kit**

- 200 piece assorted tool hook kit that includes:
- 50 - small "J" hooks
  - 50 - medium "J" hooks
  - 25 - 4" straight hooks
  - 25 - 2" straight hooks
  - 20 - single loop hooks
  - 20 - angled hooks
  - 05 - loop racks
  - 05 - hook racks

Part #	Description
PEG-200	200 Piece Hook Kit

GMI manufactures a complete line of stainless steel cabinets. We utilize the same fabrication and construction methods as our Dura-Tech line of wall and base cabinets. Our stainless cabinets are available in all the standard Dura-Tech cabinet configurations as illustrated on pages. Please contact a GMI representative for complete details on our stainless steel cabinet line.

**Standard Features:**

- Concealed 105 degree door hinges.
- Recessed aluminum handles.
- Cylinder lock keyed alike.
- 16 gauge stainless steel outer shell.
- 18 gauge stainless steel interior components.
- All welded construction.



Shown with Five Knuckle Hinge Option

**Optional Features:**

- Five knuckle institutional grade door hinges.
- Chrome loop handles.
- Individually keyed/master keyed doors/drawers.







Standard Recessed Door Hinge.



Optional Chrome Loop Handle.



Optional Five Knuckle Hinge.

**Ordering Instructions:**

To order our Dura-Tech Line of cabinets in durable Stainless Steel add .SS after any of our standard part numbers listed. See the sample part number below for an example.

