# **GMCR Cantilever Racks**

Cantilever storage racks provide the perfect storage solution for bar stock, piping, and lumber. Upright assemblies constructed of heavy gauge steel are available in both single and double sided configurations. GMI offers a wide selection of upright heights and material storage arms to fit a variety of materials.



#### **Features**

- Heavy 11 Gauge Steel Construction
- All Welded Upright Frames
- Floor Anchor Holes
- Large Selection or Rack Arms Available
- Standard 11 Gauge Shelf Arms \*400lb Capacity
- Optional 7 Gauge Shelf Arms \*600lb Capacity
- Lower Base Serves as Bottom Shelf
- Standard Color is Charcoal Gray

## **Load Capacities**

11 Gauge Arms - 400lb Per Arm 7 Gauge Arms - 600lb Per Arm Upright Support - 5500lb Per

Racks can be ordered as individual components in both starter and add-on configurations. GMI offers several pre-configured racks to fit most applications. See order instructions below for individual component ordering.



Single Starter Bay



**Double Starter Bay** 

#### **How To Order:**

- 1: Determine upright type, height and base.

  Two uprights per starter, one per add on unit.
- 2: Choose arm length and type.
- 3: Order one brace set per bay. Brace sets are measured from center to center of uprights.





# **GMCR Cantilever Racks**

## **Rack Upright Supports**

Rack Uprignt Supports					
Base Depth	Height "	Max Arm Length "	Style	Model Number	
36	36	24	Single Sided Upright	GMCR-100-36-36	
36	36	12	Double Sided Upright	GMCR-200-36-36	
38	60	24	Single Sided Upright	GMCR-100-60-38	
50	60	36	Single Sided Upright	GMCR-100-60-50	
62	60	48	Single Sided Upright	GMCR-100-60-62	
59	60	24	Double Sided Upright	GMCR-200-60-59	
83	60	36	Double Sided Upright	GMCR-200-60-83	
107	60	48	Double Sided Upright	GMCR-200-60-107	
38	72	24	Single Sided Upright	GMCR-100-72-38	
50	72	36	Single Sided Upright	GMCR-100-72-50	
62	72	48	Single Sided Upright	GMCR-100-72-62	
59	72	24	Double Sided Upright	GMCR-200-72-59	
83	72	36	Double Sided Upright	GMCR-200-72-83	
107	72	48	Double Sided Upright	GMCR-200-72-107	
38	84	24	Single Sided Upright	GMCR-100-84-38	
50	84	36	Single Sided Upright	GMCR-100-84-50	
62	84	48	Single Sided Upright	GMCR-100-84-62	
59	84	24	Double Sided Upright	GMCR-200-84-59	
83	84	36	Double Sided Upright	GMCR-200-84-83	
107	84	48	Double Sided Upright	GMCR-200-84-107	
38	96	24	Single Sided Upright	GMCR-100-96-38	
50	96	36	Single Sided Upright	GMCR-100-96-50	
62	96	48	Single Sided Upright	GMCR-100-96-62	
59	96	24	Double Sided Upright	GMCR-200-96-59	
83	96	36	Double Sided Upright	GMCR-200-96-83	
107	96	48	Double Sided Upright	GMCR-200-96-107	
38	120	24	Single Sided Upright	GMCR-100-120-38	
50	120	36	Single Sided Upright	GMCR-100-120-50	
62	120	48	Single Sided Upright	GMCR-100-120-62	
59	120	24	Double Sided Upright	GMCR-200-120-59	
83	120	36	Double Sided Upright	GMCR-200-120-83	
107	120	48	Double Sided Upright	GMCR-200-120-107	

Individual GMCR rack components can be configured to design the rack that best fits your application. Choose the desired types and size of rack uprights from the chart.



Double Sided Upright

Single Sided Upright

Rack arms are available in both a straight and incline configuration. Standard 11 gauge arm are rated for 400 lbs each. Heavy 7 gauge arms are rated for 600 lbs each.







Straight Arm

GMCR-AR-36-00-11	GMCR-AR-36-00-7	Straight Arm - No Lip	36"
GMCR-AR-48-00-11	GMCR-AR-48-00-7	Straight Arm - 1" Lip	48"
GMCR-AR-24-01-11	GMCR-AR-24-01-7	Straight Arm - 1" Lip	24"
GMCR-AR-36-01-11	GMCR-AR-36-01-7	Straight Arm - 1" Lip	36"
GMCR-AR-48-01-11	GMCR-AR-48-01-7	Straight Arm - 1" Lip	48"
GMCR-AR-24-02-11	GMCR-AR-24-02-7	Incline Arm - No Lip	24"
GMCR-AR-36-02-11	GMCR-AR-36-02-7	Incline Arm - No Lip	36"
GMCR-AR-48-02-11	GMCR-AR-48-02-7	Incline Arm - No Lip	48"

GMCR-AR-24-00-7

Description

Straight Arm - No Lip

## **Upright Support Brace**

**Shelf Arms** 

GMCR-AR-24-00-11

Model Number	Description	Size
GMCR-BR-24	Upright Brace	24" Center to Center
GMCR-BR-36	Upright Brace	36" Center to Center
GMCR-BR-48	Upright Brace	48" Center to Center
GMCR-BR-60	Upright Brace	60" Center to Center
GMCR-BR-72	Upright Brace	72" Center to Center
GMCR-BR-84	Upright Brace	84" Center to Center
GMCR-BR-96	Upright Brace	96" Center to Center
GMCR-BR-120	Upright Brace	120" Center to Center



**Upright Support Brace** 

Upright support braces are used with all rack upright configurations. Two braces are required per rack opening. Support braces can be mix matched to create varied bay widths.




# **GMCR Cantilever Racks**



### GMCR-100-10/10HD

- Single Sided Starter and Add-On
- Overall Size 38"d x 84"h
- 24"d 11 Gauge Arms or 7 Gauge for HD
- Available in 48", 60" and 72" Wide Assemblies
- 400lb Per Arm 600lb HD
- 5500lb Per Upright 6000lb HD
- (3) Std (1) Incline Arms Per Upright
- Standard Color is Charcoal Gray


Model Number Model Number Starter Add-On		Description
GMCR-100-10-48-S GMCR-100-10-48-A		Single Sided Rack - 48"w
GMCR-100-10-60-S GMCR-100-10-60-A		Single Sided Rack - 60"w
GMCR-100-10-72-S	GMCR-100-10-72-A	Single Sided Rack - 72"w
GMCR-100-10HD-48-S	GMCR-100-10HD-48-A	Heavy Duty Single Sided Rack - 48"w
GMCR-100-10HD-60-S	GMCR-100-10HD-60-A	Heavy Duty Single Sided Rack - 60"w
GMCR-100-10HD-72-S GMCR-100-10HD-72-A		Heavy Duty Single Sided Rack - 72"w



### GMCR-200-10/10HD

- Double Sided Starter and Add-On
- Overall Size 59"d x 84"h
- 24"d 11 Gauge Arms or 7 Gauge for HD
- Available in 48", 60" and 72" Wide Assemblies
- 400lb Per Arm 600lb HD
- 5500lb Per Upright 6000lb HD
- (6) Std (2) Incline Arms Per Upright
- Standard Color is Charcoal Gray

Model Number Starter Model Number Add-On		Description	
GMCR-200-10-48-S GMCR-200-10-48-A		Double Sided Rack - 48"w	
GMCR-200-10-60-S GMCR-200-10-60-A		Double Sided Rack - 60"w	
GMCR-200-10-72-S	GMCR-200-10-72-A	Double Sided Rack - 72"w	
GMCR-200-10HD-48-S	GMCR-200-10HD-48-A	Heavy Duty Double Sided Rack - 48"w	
GMCR-200-10HD-60-S	GMCR-200-10HD-60-A	Heavy Duty Double Sided Rack - 60"w	
GMCR-200-10HD-72-S GMCR-200-10HD-72-A		Heavy Duty Double Sided Rack - 72"w	



- Single Sided Starter and Add-On
- Overall Size 38"d x 84"h
- 24"d 11 Gauge Arms or 7 Gauge for HD
- Available in 48", 60" and 72" Wide Assemblies
- 400lb Per Arm 600lb HD
- 5500lb Per Upright 6000lb HD
- (6) Std Arms Per Upright
- Standard Color is Charcoal Gray

Model Number Starter	Model Number Add-On	Description
GMCR-100-20-48-S	GMCR-100-20-48-A	Double Sided Rack - 48"w
GMCR-100-20-60-S GMCR-100-20-60-A		Double Sided Rack - 60"w
GMCR-100-20-72-S	GMCR-100-20-72-A	Double Sided Rack - 72"w
GMCR-100-20HD-48-S	GMCR-100-20HD-48-A	Heavy Duty Double Sided Rack - 48"w
GMCR-100-20HD-60-S	GMCR-100-20HD-60-A	Heavy Duty Double Sided Rack - 60"w
GMCR-100-20HD-72-S	GMCR-100-20HD-72-A	Heavy Duty Double Sided Rack - 72*w



Units are Recommended to be Wall Anchored

#### GMCR-200-20/20HD

- Double Sided Starter and Add-On
- Overall Size 59"d x 84"h
- 24"d 11 Gauge Arms or 7 Gauge for HD
- Available in 48", 60" and 72" Wide Assemblies
- 400lb Per Arm 600lb HD
- 5500lb Per Upright 6000lb HD
- (12) Std Arms Per Upright
- Standard Color is Charcoal Gray

Model Number Starter	Model Number Add-On	Description
GMCR-200-20-48-S GMCR-200-20		Double Sided Rack - 48"w
GMCR-200-20-60-S GMCR-200-20-60-A		Double Sided Rack - 60"w
GMCR-200-20-72-S GMCR-200-20-72-/		Double Sided Rack - 72"w
GMCR-200-20HD-48-S	GMCR-200-20HD-48-A	Heavy Duty Double Sided Rack - 48"w
GMCR-200-20HD-60-S	GMCR-200-20HD-60-A	Heavy Duty Double Sided Rack - 60"w
GMCR-200-20HD-72-S	GMCR-200-20HD-72-A	Heavy Duty Double Sided Rack - 72"w

# **GMCR/Tear Down Bench**

## **GMCR-Work Bench**

Cantilever rack based work bench is a unique design combining a material storage rack with a sturdy work bench. These work stations are ideal for areas that are limited on space and require the storage of materials in the work area. The shelf arms are adjustable to accommodate different materials. Benches are available in a variety of sizes and top configurations.

- Available with 2" pan folded steel or 1-3/4" maple hardwood top.
- 36" or 48" wide top are standard.
- Straight shelf arms with stop.
- Four arms per upright.
- 400lb capacity per 11 gauge arm.
- Combine tables to match your required storage length.
- Available in Charcoal Gray.





Shown with Steel Top

Model Number	Table Depth	Height	Table Length	Top Style	Arm Length	Number of Uprights
GMCR-3696.STL	36	42	96	Steel	12	2
GMCR-3696.M	36	42	96	Maple	12	2
GMCR-4896.STL	48	42	96	Steel	18	2
GMCR-4896.M	48	42	96	Maple	18	2
GMCR-36144.STL	36	42	144	Steel	12	3
GMCR-36144.M	36	42	144	Maple	12	3
GMCR-48144.STL	48	42	144	Steel	18	3
GMCR-48144.M	48	42	144	Maple	18	3



Great for HVAC and Plumbing Labs

#### **Tear Down Bench**

Great work bench for small engine and transmission work where oil and fluids can be a problem. All welded construction of heavy gauge steel. Perforated galvanized steel work surface with lower drain pan. Lower shelf measures 14"d with a 2 gallon oil/fluid container. 3" high back and end stops around work surface. Adjustable height legs from 27" to 35-1/2"h.

Part #	Size
BA-305-TDB-GALV	30"d x 60"w Perforated Top
BA-306-TDB-GALV	30"d x 72"w Perforated Top
BA-365-TDB-GALV	36"d x 60"w Perforated Top
BA-366-TDB-GALV	36"d x 72"w Perforated Top





